



DATI PRINCIPALI

Cantiere/Modello	BALTIC YACHTS 83	Categoria	Usato
Lunghezza	23,98 mt	Larghezza	6,17 mt
Anno immat.	1987	Anno costruzione	1987
Velocità massima	10 nodi	Velocità crociera	7 nodi
Zavorra	-	Stazza	-
Dislocamento	45000 t	Pescaggio	3,4 mt
HP Fiscali	58	Scadenza RINA	2020
Bandiera	Francese	Visibilità	Tirreno
Prezzo	Trattativa riservata		
Note prezzo	Vat paid - buyer commission 4% not included - private negotiation -		

COMBUSTIBILI E MOTORI

Nr. serbatoi	2	Capacità serbatoi	1100	Materiale serbatoi	Inox
Motori	WIZEMANN 1 x 280	Tipo carburante	Diesel	Ore moto	5000
Revisione motori	Tagliando 2019	Tipo elica	3 blades feathering	Trasmissione	Linea d'asse

MATERIALE COSTRUZIONE

Scafo	Frp sandwich	Tuga	Frp	Coperta	Grp teak
-------	--------------	------	-----	---------	----------

IDRAULICI

Serbatoi acqua	2 x 800 lt	Materiale serbatoi	Inox	Tipo boiler	220v + motore
Dissalatore	Presente	Autoclave	Presente	Boiler	Presente

ELETTRICI

Tensione	12/24/220	Nr. batterie	6	Capacità batterie	800 A
Generatore	ONAN (11 Kw)	Carica batterie	Presente	Inverter	Presente

BREVE DESCRIZIONE

Stunning full custom sloop 83'. 2006 blue hull refreshed and totally refitted. others upgrades 2017. fully equipped. 4 staterooms 4 heads layout.

DESCRIZIONE COMPLETA

Questo Sloop da 83 piedi è stato varato nel 1987 ed è il primo progetto personalizzato che Baltic Yachts ha lavorato in collaborazione con i famosi architetti navali americani, Sparkman & Stephens.

Mentre le linee dello scafo, il design della chiglia e del timone erano di S & S, la sistemazione e lo stile del ponte erano dello stesso studio di progettazione di Baltic Yachts. C'è stata una collaborazione particolarmente stretta tra S & S e Baltic Yachts sul peso e sui calcoli strutturali.

Grande attenzione è stata posta in fase di progettazione per il calcolo del peso e della struttura al fine di creare uno yacht da crociera mondiale confortevole, sicuro e veloce.

Acquistata dal suo attuale proprietario nel 2005, è stata completamente refittata nel 2005/2006. I lavori hanno incluso una serie di modifiche interne alle cabine letto (che hanno portato alla creazione di una delle suite del proprietario più belle su qualsiasi yacht di altezza inferiore a 100 piedi), nuovo ponte in teak, nuova pitturazione blue dello scafo, rig riverniciato e ispezionato nuovo generatore, elettronica, serbatoi, dissalatore, condizionamento d'aria, apparecchiatura di navigazione e così via. Per farla breve, è stato rivarato come nuovo yacht nel 2006. Altri lavori di ristrutturazione sono stati effettuati nuovamente nel 2017 con l'obiettivo di revisionare tutti i suoi sistemi per una completa affidabilità nella navigazione oceanica.

Registrata sotto i 24 metri come pleasure sail yacht, rientra nella categoria di imbarcazioni che possono essere condotte anche dal solo proprietario per divertimento, e naturalmente, ha sempre beneficiato di un equipaggio professionale per mantenerla al top delle sue condizioni migliori.

DESCRIZIONE INTERNI

Summary of Accommodation:

- She offers 9 berths for owners and guests in 4 staterooms with 4 heads/shower.
- Crew accommodation for 2 with separate head and shower.
- All joinery is teak-faced. Main structural bulkheads are of a balsa core GRP sandwich construction and teak-faced marine plywood. Other bulkheads are of teak-faced plywood.
- Floorboards with laid teak veneer. Access to bilge provided where practical. Dust collector with teak grating in front of main entrance ladder.
- Ceiling lined with removable soft panelling.
- Leather upholstery replaced - 2014

Forward:

- Storage and sail locker is located in the bow section.

Crew Cabin:

- Cabin provided with upper and lower berths.

Forward Guest Cabin:

- Cabin provided with upper and lower berths.

Forward Heads

- Forward of galley to port.
- Heads, sink and shower.
- Teak shower grating.

Crew Mess

- Opposite forward heads to starboard.
- L-shaped seating with table.

Galley

- Forward of saloon and to port.
- U-shaped counter top.

Main Saloon

- Main saloon with dining area on port and lounge sofa with coffee table on starboard.

Navigation Station

- Navigation area aft of saloon area to starboard.

Aft Guest Cabin:

- A double bedded cabin is to port, opposite the passageway.

Passageway to Owner's Suite:

- In the passageway from the owner's cabin to the salon is the double berth cabin, upper and lower with private head

Owner's Suite:

- There is a large owner's cabin aft with two separate berths on each side (one double and one single) and an ensuite head with separate shower. An independent entry allows the owner to access the deck without passing through the main saloon.

DESCRIZIONE ARMAMENTI

DECK EQUIPMENT

Rig:

- Rondal aluminium alloy spars – painted white 2006
- Deck-stepped masthead rig with 3-sets of spreaders
- Inmast furling system
- Rig checked and serviced – June 2017
- Rondal hydraulic furling for head-stay and inner-stays
- Navtec hydraulic backstay tensions and boom-vang – overhauled May 2017
- Manual back up for all hydraulic systems
- Navtec stainless steel rod standing rigging – partially replaced in accordance with regular inspections
- Rondal and Harken deck gear
- Running rigging renewed – 2017
- I – 29.59m, J = 8.95m, P = 27.49m, E = 8.31m

Winches:

- Lewmar winch package – All winches overhauled June 2017
- 2x 110SST 3-speed electric self-tailing primary winches
- 2x 70SST 3-speed electric self-tailing secondary winches
- 2x 68SST 2-speed manual self-tailing runner winches
- 2x 70SST 3-speed electric self-tailing mainsheet winches
- 4x 68SST 2-speed manual self-tailing halyard winches
- 1x 65SST 2-speed electric self-tailing outhaul winch
- 1x 46SST 2-speed manual self-tailing spinnaker heel hoist winch
- 2x 52SST 2-speed manual self-tailing control line winches

Sails:

- Mainsail – 2017
- Genoa – 2016
- Staysail - 2016
- Spinnaker and gennaker

General:

- A pulpit and pushpit of high quality stainless steel tube are mounted on the bow and transom.
- Double life lines are installed passing through stainless steel stanchions with stainless steel wire and set up with turnbuckles at the after end.
- The pulpit is fitted with navigation lights and the pushpit with a stern light.
- Tender and outboard – revised 2017
- Bathing ladder
- Carbon fibre 3.5m pasarelle – 2013
- Cevik 2hp air-compressor
- 9 x dorade ventilators with protection bars
- 2 x ventilators with protection bars
- 16 x alloy framed acrylic hatches / ventilation hatches
- Portholes replaced - 2017

Covers & Canvas:

- Blue canvas sprayhood
- Blue canvas biminis on stainless steel frame for aft cockpit
- Cockpit cushions

Anchoring & Mooring:

- Lofrans electric anchor windlass
- Primary anchor with 100m chain
- Secondary anchor with 60m chain
- Fenders and warps

SAFETY EQUIPMENT:

General note on safety equipment: Any safety equipment such as liferafts, Epirbs, fire extinguishers and flares etc. are usually personal to the current owner(s) and if being left on-board as part of the sale of a used vessel may require routine servicing, replacement, or changing to meet a new owners specific needs.

- 12-man liferaft
- 406MHZ EPIRB
- Automatic and manual fire extinguisher systems

DESCRIZIONE STRUMENTAZIONE

NAVIGATION & COMMUNICATION EQUIPMENT

- Raymarine E120 colour GPS chart plotter and radar display at chart table - 2006
- Raymarine E80 colour plotter repeater at helm - 2006
- Raymarine radar scanner - 2006
- B&G Hydra 2000 wind, speed and depth transducers with 2x displays in cockpit and 1x display at chart table 2006
- Simrad AP25 autopilot control head – 2006
- Autopilot overhauled – May 2017
- Suunto steering compass

Communications Equipment:

- Simrad RS86 VHF at chart table with handheld unit in cockpit - 2006
- Motorola SCN 3052A Iridium satellite phone - 2006
- Aston G6 satellite antenna - 2006

DOMESTIC EQUIPMENT

Galley:

- Alpes Inox gimabld gas stove with 4x burners and oven
- Siemens 900w 220vAC microwave
- 2x Frigonautica refrigerators
- 1x Frigonautica freezer
- Electrolux dishwasher
- Raritan ice maker

Laundry:

- Bosch Maxx5 washing machine
- Electrolux dryer

Heads:

- 4x 24vDC Tecma electric flush heads
- Hot & cold pressurised water supplies with shower in heads

Heating & Ventilation:

- Condaria 220vAC reverse-cycle air-conditioning system with 70,000BTU output
- Air-conditioning overhauled October 2017

Entertainment:

- Loewe TV in saloon
- Bose DVD and home cinema system
- Sharp LCD TV in master cabin
- Ayton DV1805 stereo with speakers

NOTE AGGIUNTIVE

CONSTRUCTION

RCD Status:

- Our understanding is that the yacht is exempt from CE Conformity as she was in use in the EEA prior to June 1998.

Hull Construction:

- FRP sandwich construction to the highest specification, using unidirectional rovings and high grade resin to develop an extremely rigid yet light and well insulated structure.
- The core material is aircraft-grade Balsa.
- All high stress areas are specially strengthened with a build up of unidirectional rovings orientated in the direction of the stress.
- Dark blue hull colour – repainted 2006
- Hull inside to be topcoated white or dark brown.
- Main structural bulkheads are built up of a balsa core GRP sandwich construction.

Deck & Superstructure Construction:

- Hand laid-up moulded fibreglass with balsa core for stiffening and insulation and a high density core reinforcement incorporated in the mounting areas of winches and fittings. The deck has a high strength/weight ratio and is bonded to the hull with layers of roving. The deck is through bolted to the hull.
- Deck is painted with high quality abrasion-resistance colour pigment gelcoat.
- Standard colour is white.
- Teak laid deck – replaced 2006

Keel & Rudder:

- External fin keel, cast to high accuracy, in lead strengthened with antimony.
- The shape of the keel has been developed with the emphasis of lowering the ballast centre-of-gravity as much as possible without adding drag or decreasing lift. The lower centre of gravity gives higher stability with added speed and power but also makes the boat easier to handle. A lower centre of gravity also increases the boats resistance against knock downs hence making the boat safer and adds seaworthiness.
- The keel is through bolted to the hull by cast-in stainless steel bolts.
- The cantilevered semi-elliptical balanced spade rudder is moulded from Fiberglas and filled with PVC-foam. Foam filling under high pressure in special strengthened mould.
- Rudder removed and inspected – May 2017

MACHINERY

Engine & gearbox:

- Wizeman WM 240 V8 diesel engine (based on Mercedes OM-422 block) producing 280hp @ 2,300rpm
- Twin Disc MG509 1:2.48 reduction gearbox with reverse gear
- Fresh-water cooled engine.
- Flexible shaft coupling supported by v-bracket
- Single lever engine control.
- Engine overhauled with checks of alternator, started, cooling and exhaust system - 2015

Propulsion & Steering:

- Ritchfield 300R 16hp retractable bowthruster – completely overhauled October 2017
- Luke 3-bladed feathering propeller
- The propeller shaft is made of corrosion resistant steel AISI 329
- The steering is provided by a light weight "destroyer type" wheel. The wheel is leather covered made of stainless steel, welded and highly polished.
- Baltic Yachts custom made pedestal.

ELECTRICAL SYSTEMS

Voltage systems:

- 24vDC domestic systems with 220vAC via shore-power, inverter or generator

Battery Banks:

- 2x 12vDC engine start batteries - 2016
- 24vDC service battery bank with 12v 2v batteries - 2016
- 1x 12vDC generator start battery - 2016

Charging:

- 2x Mastervolt Mass 24/100 100Amp automatic battery chargers - 2006

Generator:

- Onan 11kw generator – fitted new 2006
- Complete overhaul of generator – October 2017

Inverter:

- 220v/24v 4kw Inverter - 2017

Alternator:

- 12v engine-mounted alternator for start batteries
- 24v secondary alternator for service battery bank

Other Electrical:

- Baltic Yachts custom made with automatic safety circuit breakers. Indication diodes, amp.meters, volt meters and tank level meters are provided. A 12 V DC for starting system, 24 V DC for service system.
- 220vAC / 50Hz shore power system

PLUMBING & GAS SYSTEMS

Fresh Water:

- Water heater provided via 2 water heaters, heated by engine cooling water and shore power – water heaters replaced 2001
- Water pressure system with outlets in heads and galley. Pump with automatic pressure switch.
- Telephone type shower, water faucet for cold and hot pressurised water.
- Foot-operated backup fresh- and salt-water pump in galley, foot-operated freshwater pump in heads.

Watermaker:

- 2x Tecnicomar MD 1000 200 litre per hour 220vAC reverse osmosis watermakers
- Watermakers completely overhauled – October 2017

Bilge Pumps:

- Electric bilge pumps
- Manual bilge pumps

TANKAGE

Fuel:

- 2,100 fuel capacity in stainless steel tanks – replaced 2006
- Fuel shut-off valves

Fresh Water:

- 1,600 litres water capacity in 2x stainless steel tanks – replaced 2006

Holding Tanks:

- 190 litre blackwater holding tank capacity – replaced 2006
- 250 litre grey water holding tank capacity – replaced 2006
- Tankmaster 4 and Tankwatch 4 holding tank monitoring systems



