




DATI PRINCIPALI

Cantiere/Modello	Wally WallyTender48X	Categoria	Usato
Lunghezza	14,9 mt	Larghezza	4,4 mt
Anno immat.	2024	Anno costruzione	2024
Velocità massima	54 nodi	Velocità crociera	36 nodi
Zavorra	-	Stazza	-
Dislocamento	11100 t	Pescaggio	1,1 mt
HP Fiscali	-	Scadenza RINA	-
Bandiera	British	Visibilità	Italy
Prezzo	Trattativa riservata		
Note prezzo	Vat no paid iva no assoltaiva no includa		

COMBUSTIBILI E MOTORI

Nr. serbatoi	1	Capacità serbatoi	2800	Materiale serbatoi	Still
Motori	MERCURY 4 x 500	Tipo carburante	Benzina	Ore moto	25
Revisione motori	Summer 2025	Tipo elica	Bronze	Trasmissione	Fuori bordo

MATERIALE COSTRUZIONE

Scafo	Carbon fiber	Tuga	Carbon fiber	Coperta	Teak
-------	--------------	------	--------------	---------	------

IDRAULICI

Serbatoi acqua	1 x 240 lt	Materiale serbatoi	Alluminio	Tipo boiler	Elettrico
Dissalatore	Non presente	Autoclave	Presente	Boiler	Presente

ELETTRICI

Tensione	12v- 24v- 220v	Nr. batterie	10	Capacità batterie	180 A
Generatore	MASE (10,5 Kw)	Carica batterie	Presente	Inverter	Presente

BREVE DESCRIZIONE

Wallytender 48x

DESCRIZIONE COMPLETA

WallyTender48X - Built 2024

Excellent Condition - Fully Equipped - Seakeeper - Engines 4 x Mercury Racing V8 500R

DESCRIZIONE INTERNI

LAYOUT: Accommodation for 2 guests in 1 double bed. Main cabin with open salon with integrated office, double bed, 1 double sofa, and head with shower.

DESCRIZIONE ARMAMENTI

Thrilling performance combined with unparalleled comfort and innovative design features.

Quiet and smooth ride with the four Mercury Verado V8 450R (totalling 1.800 HP) providing a top speed of 55 knots, very low consumptions (320nm range at 40 knots up which can extend to 350nm at 36 knots), and easy maintenance.

Engines uniquely split to the flanks of the boat, with two on each side, allowing the installation of the retractable hydraulic boarding passerelle/swim ladder to enable direct and easy access to the water or the shore. With tilting outboards, the minimum draft to cruise with engines lifted can be reduced to 2 feet 4 inches (70cm) at full load.

Standard fold-down bulwark sections, full living deck with dining table for up to eight people catered by the equipped galley, air-conditioned large interiors and en-suite with separate shower, augmented deck storage, special anchoring system operated at the touch of a button from the helm station, optional gyroscopic stabiliser.

The Company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors, to investigate such details as the buyer desires validated. This vessel is offered subject to prior sale, price change, or withdrawal without notice.

DESCRIZIONE STRUMENTAZIONE

EXTRA ACCESSORIES DESCRIPTION

Hull & deck metallic painting Silver

External Upholstery Sunbrella Natté Stone

Awning for aft sunbathing and dining area with no.2 removable carbon poles

WALLY waterproof cover for console, seating and sunbeds

Berthing package (n. 4 quick pin, no.6 fenders and ropes, no.4 ropes (2x12 m; 2x24 m)

Safety equipment for 12 people (life raft + jackets) Diff. from STD

Removable shower bar on stern platform

Aft Bench backrest convertible into the headrest for sunbed

Anchor chain counter integrated

Cockpit multitouch screens upgrade 16" display SIMRAD (2)

Radar SIMRAD

AIS Garmin

Inverter 2.000 W – 12 V / 230 V (1), 230 V electric inside cabin & bathroom (3)

Generator Mase 10,5 kW

Air conditioning for interior accommodation (generator to be selected)

Icemaker on deck

Grill on Wet-bar

Microwave oven

White underwater lights on the stern (2)

Search Light 24V electrically controlled

Premium Sound Pack n. 8 JL speaker + control unit on deck

Gyro Stabilizer SEAKEEPER 6

NOTE AGGIUNTIVE

Excellent conditions and fully equipped with gyro stabilizers Thrilling performance combined with unparalleled comfort and innovative design features. Quiet and smooth ride, providing a top speed of 55 knots (320nm range at 40 knots up which can extend to 350nm at 36 knots)

Disclaimer We offer the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. Pictures of the vessel may be taken from the catalog. This document does not represent in any case a contractual term.

