



NO IMAGE



NO IMAGE

DATI PRINCIPALI

| | | | |
|-------------------------|-----------------------------|--------------------------|----------------|
| Cantiere/Modello | NAUTOR SWAN 48'_131 | Categoria | Usato |
| Lunghezza | 14,83 mt | Larghezza | 4,32 mt |
| Anno immat. | 1999 | Anno costruzione | 1999 |
| Velocità massima | - | Velocità crociera | - |
| Zavorra | - | Stazza | - |
| Dislocamento | 14000 t | Pescaggio | 2,4 mt |
| HP Fiscali | - | Scadenza RINA | - |
| Bandiera | - | Visibilità | Tyrrhenian sea |
| Prezzo | Trattativa riservata | | |
| Note prezzo | - | | |

COMBUSTIBILI E MOTORI

| | | | | | |
|-------------------------|----------------|--------------------------|---------------------|---------------------------|-----------------|
| Nr. serbatoi | 1 | Capacità serbatoi | 200 | Materiale serbatoi | Stainless steel |
| Motori | YANMAR 1 x 125 | Tipo carburante | Diesel | Ore moto | - |
| Revisione motori | - | Tipo elica | Flexofold propeller | Trasmissione | Sdrive |

MATERIALE COSTRUZIONE

| | | | | | |
|--------------|------------|-------------|------------|----------------|-------------------|
| Scafo | Fiberglass | Tuga | Fiberglass | Coperta | Fiberglass + teak |
|--------------|------------|-------------|------------|----------------|-------------------|

IDRAULICI

| | | | | | |
|-----------------------|------------|---------------------------|-----------------|--------------------|----------|
| Serbatoi acqua | 1 x 430 lt | Materiale serbatoi | Stainless steel | Tipo boiler | - |
| Dissalatore | Presente | Autoclave | Presente | Boiler | Presente |

ELETTRICI

| | | | | | |
|-------------------|-----------------------|------------------------|----------|--------------------------|----------|
| Tensione | 12/24/220 v | Nr. batterie | - | Capacità batterie | - |
| Generatore | Fisher Panda (4,5 Kw) | Carica batterie | Presente | Inverter | Presente |

BREVE DESCRIZIONE

One of the most iconic swans ever under this number, unit in perfect condition.

DESCRIZIONE COMPLETA

For Nautor Swan, 48 is a magic number. One of the most iconic Swans ever under this number: the mythical Swan 48. Designed by the best yacht designer of that time, indeed one of the best of all times, German Frers, this iconic yacht won some of the most prestigious offshore races. Unit in perfect condition, fully refitted, new standing rigging in 2012, new teak deck in 2016, new Yanmar engine 2023, details on request.

DESCRIZIONE INTERNI

3 cabins - 2 heads

DESCRIZIONE ARMAMENTI

Rig

Standard three spreader masthead rig (2012) with carbon mast and boom (Axxon Composites Carbon V - park avenue) Navtec Nitronic 50 rod rigging replaced 2012, single lowers, inner forestay, backstay in Kevlar, 2020 furling headstay Reckmann 2/R 30, forestay rod, aluminium halyard swivel, forestay/rod 22, carbon fibre spinnaker pole, jockey pole, Harken System, tracks for mainsail, Navtec hydraulic system controlling backstay and vang with control panel on pedestal

Sails

2018 Mainsail short battened 64,5 mq ONESAILS 4T Tech forte 215R with STR 25%

2018 Genoa 3, 58 m2 ONESAILS 4T Tech Forte 215 R with STR

2022 Light Jib North Sails 3DI RW 760 14,700 dpi

2020 Roll Genoa 128% crosscut CW/Newport AP Black 9.45 QUANTUM

2008 HOOD Spinnaker AP IMS 100% SMW 198 mq

2013 QUANTUM Spinnaker S2 162,7 mq

2013 QUANTUM Spinnaker S3 162,7 mq

2020 T1 Spinnaker runner 162,7 mq

Winches

Genoa sheet winches 2 x Lewmar 64 AEST electric with recessed push buttons and additional push buttons on top of the helmsman coaming

Mainsheet winch Lewmar 48 AEST electric recessed in coaming aft on port side by helm

Main halyard winch starboard side Lewmar 48 AEST electric

1 x 40 ST mainsheet

1 x 16 ST mainsheet car control

2 x 64 ST secondary on coaming (runners and spi regulation)

2 x 48 ST winches by forward cockpit (with Spinlock jammers) for genoa and spi halyards, reefing lines outhaul and pole regulation

Deck area

2016 new teak deck 36 x 11 mm on a 2 mm carrier plate

N°2 Main Ship low profile hatches 460 x 322 mm

N°1 Main Ship low profile hatch 628 x 628 mm

N°1 Main Ship low profile hatch trapezoidal

Halyard stopper XCS pcs. 8 - 14 mm black

Power stopper XXB 3 pcs. Black

Power clutch 2 pcs. 8 - 12 mm black

DESCRIZIONE STRUMENTAZIONE

Electronics

Navigation system

Electronics B&G Hydra 2000, GPS Chartplotter, tridata, VMG (n°4 displays), two FFD displays one below deck at the navigation position, the second above the aft companionway. Jumbo at the mast n°3, Autohelm ST 7000 autopilot (chart table) + additional remote control at the helm, Autocomp 1000 compass including NMEA interface box, JRS 500 plus Aerial on the rear basket, B&G Radar Halo 24 (2020) antenna mounted on the mast at the rear, Active antenna DSC Pacific for VHF, GSM, SSB

Computer

PC Protrack SR2R16 NAVCOM on board PC system from BIS ELEKTRONIC (2018) with navigation software updated Expedition latest version including radar licence for screen overlay with 17" LCD glass bridge display with multitouch and AIS transponder Class B CTRX

Communications

Raymarine VHF with DSC at the chart table and B&G HF at the helm station (2018), removable in the cockpit (20019)

Entertainment

MB Quart radio with CD player in the saloon with 2 loudspeakers + 2 in the cockpit

TV/LCD Samsung 19"

NOTE AGGIUNTIVE

Technical equipment

2010 Generator Fisher Panda 4,5 Kw 2 cooling circuits, installation behind the navigation seat

2016 Anchor winch 24 V, 1000 W, 8 mm chain nut, Lofrans SX2 bronze version

2017 Larger battery capacity, 450 Ah

2018 Heating Eberspacher D5 WSC

2018 Max Power 100 bow thruster fold out electrically – hydraulically driven

2023 Engine exchange new Yanmar 4 JH DTE with panel and engine feet 91,9 Kw

2023 New Flexofold propeller 4 blades 23 x 13 – 4 R

2024 Iceberg 230 V cooling unit General overhauled

Iceberg 24 V refrigerator unit to undergo a general overhaul in 2024/25

220 V shore power system with cable including sockets (water heater Isotemp basic new 2018, refrigerator, microwave and chargers)

On board LED recessed and surface – mounted lights from PREBIT chrome matt, red/warm light 10 – 300 V DC max 3 W, some with integrated dimmer, red light over the chart table and galley, indirect light in the saloon above bookshelf on both sides with dimmer switch

Battery Ah capacity meter DCC 400 including warning light and acoustic alarm

Water system:

Deck shower hot and cold, single lever mixer in the front toilet and shower cubicle, single lever mixer from “Vola” on the sink and wash basins, 2 electric toilets DF W/pump 24 V, straight rear wall 14’, with fresh water pump 24 V (2019), electric bilge pump, 2 electric sump pumps for the baths

Pantry

Microwave oven in the pantry and stainless steel gas cooker Force three burners

Nespresso coffee machine, built into a wall unit, next to the crockery drawer, both customized

