



DATI PRINCIPALI

Cantiere/Modello	UNIESSE 48	Categoria	Usato
Lunghezza	14,67 mt	Larghezza	4,62 mt
Anno immat.	2006	Anno costruzione	2006
Velocità massima	35 nodi	Velocità crociera	27 nodi
Zavorra	-	Stazza	-
Dislocamento	16500 t	Pescaggio	1,3 mt
HP Fiscali	86	Scadenza RINA	2029
Bandiera	Italiana	Visibilità	Tirreno
Prezzo	Trattativa riservata		
Note prezzo	Vat paid - buyer commission not included - ready for sale - easy to see everyday by appointment -		

COMBUSTIBILI E MOTORI

Nr. serbatoi	2	Capacità serbatoi	2200	Materiale serbatoi	Acciaio
Motori	MAN 2 x 800	Tipo carburante	Diesel	Ore moto	-
Revisione motori	Tagliando motori e 10000	Tipo elica	4 pale	Trasmissione	Linea d'asse

MATERIALE COSTRUZIONE

Scafo	Grp bianco	Tuga	Grp bianca	Coperta	Grp
--------------	------------	-------------	------------	----------------	-----

IDRAULICI

Serbatoi acqua	1 x 600 lt	Materiale serbatoi	Aluminium	Tipo boiler	220v + engine
Dissalatore	Non presente	Autoclave	Presente	Boiler	Presente

ELETTRICI

Tensione	12/24/220	Nr. batterie	5	Capacità batterie	780 A
Generatore	KOHLER (13 Kw)	Carica batterie	Presente	Inverter	Presente

BREVE DESCRIZIONE

The 48open has been designed by people who love the sea for people who share their passion, people just like you for transform every sail into a event

DESCRIZIONE COMPLETA

At sea, as on land, quality is a precious commodity. To maintain high standards means also to innovate and renew, using advanced technology and skills honed over the years. We always work with one eye on the past, taking account of the best of tradition, and with one eye on the future: we like to move our projects forward, ahead of what has already been seen and into new territory. We try to interpret the dreams and desires of those who go to sea. Setting the same care in the realization of the lines of water and in the choices of the interior and exterior design, we build yachts that combine the best navigational capacity with perfect comfort and style just as our clients demand. A good overall product stems from certain working traditions: the best quality original materials and the greatest attention paid to every part of the working process, right down to the smallest details. Those who test Uniesse Marine yachts at sea know that they are truly unique. We ask the people working for us to share our taste for perfection. We ask the same high standards of all our suppliers, who deal in only top-quality materials capable of meeting the rigorous specifications of Uniesse Marine. Our thorough working practices allow us to be certified by the key international shipping registers, although our standards are far higher than the official parameters. These yachts are jewels built to travel the seas and stand the test of time: this is how we would describe them.

DESCRIZIONE INTERNI

Numero di CABINE:3

Numero di bagni: 2

Portata totale: 14

Master cabin

- Queen bed
- Carpet.
- Curtains and fabrics (to be chosen from shipyard catalogue)
- Double bed with bedcover and pillows.
- Fore bed chest of drawers.
- Halogen lighting.
- Hatch with light shade.
- Headboard mirror and mirror behind the door.
- Lateral wardrobes (nr. 02).
- Opening portholes (nr. 02).
- Tv socket
- Shelves.
- Sockets 24/220 volt
- Store room under the bed.

Starboard guest cabin

- Queen bed
- Carpet.
- Central wood table.
- Curtains and fabrics (to be chosen from shipyard catalogue)
- Halogen lighting.
- Headboard reading lamps (nr. 02).
- Lateral shelf.
- Mirror (nr.01).
- Opening porthole (nr. 01).
- Tv socket.
- Separate beds with bed covers and pillows (nr. 02).
- Sockets 24/220 volt
- Wardrobe (nr. 01).

Portside guest cabin

- Twins single beds
- Carpet.
- Chest of drawers.
- Curtains and fabrics (to be chosen from shipyard catalogue)
- Tv socket.
- Single bed with bedcovers and pillows.
- Sockets 24/220 volt
- Wardrobe (nr. 01).

Master head

- Bidet with hot/cold water mixer control.
- Botticino marble countertop .
- Curtain
- Electric fresh water system toilet (24 V) with built-in bidet
- Head fittings: glass holder, toilet roll holder, soap holder, WC cleaning brush holder, towel holder (nr. 02).
- Halogen lighting.
- Laundry locker.
- Large separate plexiglass shower with hot/cold water mixer control .
- Opening porthole with curtain (nr. 01).
- Shower with separate drainage wells & automatic pump and teak grating.
- Sink with hot/cold water mixer and mirror.
- Vanity locker.

Portside guest head

- Botticino marble counter top .
- Curtain.
- Electric fresh water system toilet (24 V) with built-in bidet
- Head fittings: glass holder, toilet roll holder, soap holder, WC cleaning brush holder, towel holder (nr. 02).

- Halogen lighting.
- Opening porthole (nr. 01).
- Shower with curtain and teak grating.
- Sink with hot/cold water mixer and mirror.
- Vanity locker.

Galley

- Cockpit kitchen: sink , two burner pyroceram cooktop , 60 lt refrigerator, lockers Imitation leather cushions
- Large U shaped sofa with teak dining table.

Salon

- U shaped Ivory leather sofa (Uniesse standard).
- Carpet.
- Curtains and fabrics (to be chosen from shipyard catalogue)
- Clock, thermometer and hygrometer
- DVD.
- Halogen lighting.
- Main electric panel 24/220 V with generator control.
- Mirror (nr. 01).
- Opening porthole (nr. 02).
- Stereo Cd Sony with inside and outside water proof loudspeakers.
- Storage lockers under the sofa.
- TV LCD SHARP 15'
- Wall storage cupboards.
- Wooden dining table.

DESCRIZIONE ARMAMENTI

- 24V. DC
- Batteries 200 Ah.24V for engine starting (nr. 02).
- Batteries 200 Ah. 24V for services (nr. 02).
- Battery of 100 Ah. 12V for generator (nr. 01).
- Electronic battery charger.
- Switches to disconnect service battery on control panel.
- Lights in all the rooms.
- Circuit breaker protection to all AC installation systems.
- 220V
- Shore power supply with plug and lead for external source.
- Safety system switches.
- Sockets 110/220 V in all the rooms.
- Diesel generator 13 Kw and silencer system.

- Botticino marble worktop.
- Cutlery organized drawer.
- Halogen lighting.
- Microwave oven.
- Opening porthole (nr. 01).
- Organized locker for glasses.
- Refrigerator 115 lt.
- Sockets 24/220 volt
- Stainless steel sink with hot/cold water mixer.
- Two burner pyroceram cooktop.
- Wall organized storage cupboards.
- Water level gauge.

Mechanical installation

- Air intakes for engine room.
- Automatic fire extinguisher Kg. 3 (nr. 02).
- Balanced trim stainless steel rudders.
- Cathodic protection.
- Cockpit way-in hatch.
- Earth connection system for engines, inverters, tanks, propellers, rudders and sea water drive.
- Engines mounted on anti-vibration supports.
- Exhausts with Vtr silencers.
- Fuel fast closing system with remote control.
- Fuel tank breathers with fire extinguisher system.
- In line fuel filters able to separate water from fuel and any other kind of impurity.
- Inspection lights.
- Sound insulation throughout engine room.
- Stainless steel fuel tanks (nr. 04) with level indicator.
- Water intakes for cooling engine with inspection filters.

Bilge pumps

- Engine room water level warning siren.
- Manual emergency pump.
- Separate systems with automatic\manual electric pumps (nr. 03).

Water system

- Dockside water pressure.
- Electric sea water pump for washing aft deck and anchor chain on bow.

- Installation of shower water tank and electric pump with manual control.
- Installation of waste water tank and electric pump with manual control.
- Pressurized fresh water pump with filter.
- Water heater 220 volt 40 lt.

Additional Description

- Aft stainless steel cleats (nr. 02).
- Air intakes for engine aeration (nr. 02).
- Antifouling bottom paint.
- Bimini top in forward cockpit.
- Bow stainless steel cleats (nr. 02).
- Bow stainless steel fairleads (nr. 02).
- Bruce anchor 20 Kg.
- Chain locker with draining system.
- Cockpit deck shower with hot/cold water mixer.
- Cockpit lights.
- Cockpit lockers.
- Diesel fillers (nr. 02).
- Dockside water pressure.
- Electric 1200W 24V winch with controls from bow and helm station.
- Electric seawater pump for washing aft deck and anchor chain on bow.
- Engines MAN 800hp (nr.02)
- Electric/hydraulic gangway Opacmare
- Fiber glass bathing platform with stainless steel hinged ladder.
- Fiber glass transom door.
- Glass windscreen.
- Hatch in owner cabin.
- Horn.
- Lateral stainless steel cleats (nr. 02).
- Navigation lights.
- Self-draining cockpit.
- Shore power supply with plug and lead 50 Ah.
- Stainless steel anchor guide.
- Stainless steel fender holders (nr. 02).
- Stainless steel handrails on each cockpit side (nr. 02).
- Stainless steel oval opening portholes (nr. 08).
- Stainless steel pulpit handrails and stanchions.
- Stainless steel rubrail.
- Stern stainless steel fairleads (nr. 02).
- Water filler (nr. 01).
- Windscreen wipers with washers (nr. 02).
- Zinc chain diam: 8 mm, 75 meters.

Construction

- CE omologation certificate category B
- Topsides and deck in GPR hand laid vinilester resin with airex sandwich
- Transverse and longitudinal reinforcement throughout hull made with unidirectional and woven roving glassfibre
- Bottom and deck in blister/resistant vinilester resin hand laid
- Isophtalic gelcoat finishing (ivory colour Uniesse standard)
- Epoxy resins, antiosmosis and antifouling bottom paint

DESCRIZIONE STRUMENTAZIONE

Helm console

- Anchor windlass control and chain washer.
- Antena GPS Raystar 125
- Automatic and manual bilge pump switches.
- Control station with helm and companion seat.
- Controls for transmission and throttles.
- Echo-speed log and water temperature indicator Raymarine.
- GPS-chartplotter Raymarine C120
- High speed compass.
- Horn.
- Hydraulic steering.
- Switch for anchor lights.
- Switch for dashboard lights.
- Switch for navigation lights.
- Switch for start engines.
- Trim tabs.
- VHF-Shipmate.
- Vtr console.
- Windscreen wiper switch.
- Wiper washer switch.
- Fuel level gauge.

Alarms

- Engine room water level warning siren.

- Automatic fire extinguisher in the engine room.
- Battery charger 80 Ah.
- Boat hook (nr. 01).
- Cockpit deck shower with hot/cold water mixer.
- Diesel generator 11 Kw.
- Dockside water pressure.
- DVD
- Echo-speed log and water temperature indicator Raymarine.
- Electric 1200 W winch with controls from bow and helm station.
- Electric/hydraulic gangway Opac.
- Electric seawater pump for washing aft deck and anchor chain on bow.
- Fenders (nr. 06).
- Fire extinguishers in all rooms (kg. 3 nr. 02, kg. 2 nr. 02, kg. 1 nr. 04).
- Fuel fast closing system.
- Full electronics Raymarine
- Mooring lines (nr. 04).
- Pressurized fresh water system.
- Refrigerator in the cockpit 115 lt.
- Refrigerator in the galley 60 lt.
- Safety system ISO 9650 Certified
- Sony Cd Stereo with inside and outside water proof speakers .
- Trim-tabs.
- 2 TV LCD sharp
- VHF-Shipmate.
- Water heater 40 lt.

NOTE AGGIUNTIVE

Interior Design:

The frontier of infinity.

Freedom is a concept that you can touch with your hands and feel on your skin, when the waves envelop your arrival before crashing behind you in a trail of memories. But you can also opt for protection, insulating yourself against your surroundings in order to concentrate on your inner landscape, as you sail safely towards your chosen destination.

Spaces for living life to the full.

The Uniesse designers have already thought out every move you will make on board, the routes you will take around the boat, the emotions that will transform every day into an event. The designers have transformed these emotions into spaces for living life of the full, breathing life into a new form of liberty.

Exterior design:

Designed by those who love the sea.

The big ideas are not measured in centimetres, and space is what you make of it: the 48 OPEN can be open, when you meet up with your favourite travelling companions - the sun and the wind or closed, when its time to consider your next course, the next harbour you will come to, or the next island to explore. Suspended between the infinite expanses of sea and sky, you will be surprised at how the interiors welcome you as if you had always known each other.

The UNIESSE 48 OPEN has been designed by people who love the sea for people who share their passion. People just like you.

IMMAGINI



